



Compilon Vertical Chiller/Freezer Combination

## Encourage your customers to get on the take

From top to bottom, front to back, Compilon by Linde is the right choice for stocking volume and variety. No other plug-in frozen food combination is so "accommodating" to you and your customers. High productivity per unit floor area means that it holds a rich and varied assortment of foods. Cubic capacity of this standard sets it uniquely apart. A large product facing area attracts

the attention of shoppers from quite a distance. Generously sized glazing across the front, attractive illumination of the contents and unobstructed reach into the base section liven up your rate of turnover. Compilon gives you more than comparable merchandisers. If you're looking to enlarging your retailing selections, there's no better place to look than up.

*Linde*

# Compilon ..85 and Compilon ..85 G

## Frozen Food Combinations

25 mm spacing between door frames, complying with EU Standards. **No danger** of pinching fingers!

**Ergonomic-design door handles** made of pleasant-feel material, positioned within active reach.

**Optimized view of merchandise** against end walls by locating door frame over end wall, not in front of displays.

Two **wire shelves** as standard with option of third shelf for extra large display assortment. Adjustable height. **Scanner price marking rails** included. Price marking rails with product stops available as accessories.

Not necessarily standard elsewhere: **Price marking on bottom display deck.**

**Ergonomically designed handrail**, warm-touch plastic, not cold metal.

**Lighting integrated in handrail** illuminates merchandise behind front glass (long-range eye-catching effect) and to the rear.


**Enlarged product facings** due to special design of end walls.

From the front too: **Larger product facing area** and better long-range visual attraction due to 370 mm high front glazing.

**Accomplished system design:** Plinth panel joins flush with end wall. No recesses, no dirt traps. Allows direct line-up with Linde non-refrigerated display cases.

Merchandise can be **stacked to top edge of glass baffle**, clearly visible from afar.

**Quick and easy to clean:** Smooth surfaces inside and outside. No air intake grille that easily collects dirt.





**Optimum product facing area** in upright section.

More **cubic capacity, more product facings,** more display area - you're welcome to compare.

Narrow understructure for upright section, resulting in **larger display area**. Understructure hidden by front mirror.

**Depth of opening on base section** is 405 mm, providing convenient stocking, excellent view for shoppers and easy reach to merchandise at rear. Sliding glass covers on Compilon ..85 G save energy and reduce operating costs. (Compilon ..85 is version without glass cover.)

Base section equally offers **more cubic capacity** than any other comparable model.

Ergonomic design **with children in mind:** front height 920 mm.

Very **low plinth panel** permits efficient and advantageous use of merchandiser with alternative connection to remote condensing unit.

**Bumpers** for protection from shopping cart collisions. Available as accessories.

**Internal condensing unit saves energy:** Drip water is evaporated by waste heat of refrigeration system instead of an expensive electric heater.

Four leveller feet simplify **exact positioning and alignment**.

**Environmentally friendly** due to use of R 404 A refrigerant and pentane-foamed insulation. Both featured for zero ozone depletion potential.





Largest **cubic capacity** available on the market.

Narrow understructure for upper section, resulting in large **display area**. Understructure hidden by front mirror.

**Depth of opening on freezer base section** exceeds 400 mm, providing convenient stocking, excellent view for shoppers and clear reach to merchandise at rear. Sliding glass covers save energy and reduce operating costs.

No other comparable case offers more **cubic capacity**. See for yourself!

Ergonomic design **with children in mind**: front height 920 mm.

More visible **product facings** and excellent **long-range eye-catching** effect: 370 mm high front glazing with frames integrated in end walls.

**Quick and easy to clean**: Smooth surfaces inside and outside. No air intake grille that easily collects dirt.

**Bumpers** for protection from shopping cart collisions. Available as accessories.

Four **leveller feet** to simplify exact positioning and alignment.



# Compilon Vertical Chiller/Freezer Combinations



**Compilon ..85 G Frozen Food Combination**  
 Attractive presentation of frozen foods in upright and base sections



**Compilon ..85 Frozen Food Combination**  
 Base section without glass cover, open top invites direct reach-in



**Compilon 1935-85 G Chiller-Freezer Combination**  
 For forward-thinking convenience stores - maximum variety of merchandise in optimum presentation or...



**Compilon 1335-85 G Chiller-Freezer Combination**  
 ...for walk-in kiosks

# Options

## Extra detail that counts

Linde gives lots of thought to equipping merchandisers with details that make them more versatile and convenient still for retailing a wide range of products. Compilon vertical combinations are available with a selection of useful accessories for neatly separating and clearly price marking different groups of items. Small details at times, but they count so much extra.



Ice cream display dividers for freezer base section



Wire dividers for freezer base section



40 mm price marking rail with product stop, optional for upright chiller section shelves



Scanner price marking rail for handrail



Scanner price marking rail for bottom deck of freezer upright section; scanner price marking rail for handrail

## Compilon Chiller/Freezer Vertical Combination in two basic lengths




**Compilon 1385**  
**Compilon 1385 G**  
(Length 1250 mm)

**Compilon 1985**  
**Compilon 1985 G**  
(Length 1875 mm)


**Compilon 1335-85 G**  
(Length 1250 mm)

**Compilon 1935-85 G**  
(Length 1875 mm)


### Measurements



**Compilon ..85 G**



**Compilon ..85**



**Compilon ..35-85 G**

Data		Compilon ..85 G		Compilon ..85		Compilon ..35-85 G	
		13	19	13	19	13	19
Length over end walls	[mm]	1250	1875	1250	1875	1250	1875
Total display area	[m <sup>2</sup> ]	2.39	3.65	2.39	3.65	2.27	3.47
Base display area	[m <sup>2</sup> ]	0.89	1.34	0.89	1.34	0.89	1.34
Upright display area	[m <sup>2</sup> ]	1.50	2.31	1.50	2.31	1.38	2.13
Total cubic capacity	[l]	760	1175	715	1105	700	1080
Base cubic capacity	[l]	350	545	305	475	350	545
Upright cubic capacity	[l]	410	630	410	630	350	535
Storage temperature	[°C]	-18 to -23		-18 to -23		-18 to -23 / +2 to +4	
Climate Class		3*		3**		3*	
Test Package		L1		L1		L1/M1	
Temperature Class		L1		L1		L1/M1	
Power supply	[V]/[Hz]	230 / 50					
Fuse rating	[A]	13	16	16	16	13	16
Refrigerant		R 404 A					

\* Climate Class 3: Tested at 25 °C and 60% RH.

\*\* Climate Class 3: Tested at 23 °C and 60% RH.

Linde Kältetechnik GmbH & Co. KG  
Sürther Hauptstrasse 173  
50999 Cologne  
Germany  
Phone +49-22 36-6 01-01  
Telefax +49-22 36-6 01-1 54  
www.linde-refrigeration.com  
info@linde-kt.de  
compact.line@linde-kt.de

